

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	21	(Kurien near3 Thekkthalackal).in.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/02/03 08:20
L5	282	(Ray near3 Kenneth).in.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/02/03 08:21
L7	355	(Ray near3 Kenneth).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/03 08:22
L9	247	(Paul near2 England).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/03 08:34

L11	159	(Marcus near2 Peinado).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/03 08:37
L15	25	(NGSCB OR Palladium) SAME nexus	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/02/03 10:38
L16	25	(NGSCB OR Palladium) SAME nexus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/03 10:39
L17	42	{@ad< "20031024") AND (software SAME low-assurance OR high-assurance)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/02/03 10:41
L23	60	{@ad< "20031024") AND ((trust\$2 OR untrust\$2)with environment) SAME (virtual near2 machine)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/02/03 10:46
L24	36	application SAME (factoring OR partitioning) SAME trusted	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 10:47

L32	443	((@ad<"20031024") AND (application near3 (factor\$4 OR partition\$4) with environment)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 10:52
L33	2	("2005/0033980").URPN.	USPAT	OR	ON	2010/02/03 10:53
L34	32	{"20020023212" "20020046275" "20030041255" "20030204632" "20030226033" "20040025016" "20040117318" "20040128544" "20040250075" "20040268135" "5235642" "5892900" "5961656" "6138239" "6185678" "6304262" "6308208" "6397242" "6408391" "6496847" "6505300" "6553403" "6754691" "6775536" "6823456" "6938164" "7082507" "7131141" "7152165" "7194623" "7243230" "7302698").PN. OR {"7530103"}.URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/03 10:53
L35	6	("2003/0041255").URPN.	USPAT	OR	ON	2010/02/03 10:54
L36	6	{"20020004905" "5721781" "5836104" "6520410" "6676018").PN. OR ("7309004"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/03 10:55
L37	6	{"20020004905" "5721781" "5836104" "6520410" "6676018").PN. OR ("7309004"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/03 10:56
L38	14088	(713/310 OR 713/189-194 OR 713/176-177 OR 713/180 OR 726/9 OR 726/20 OR 726/22 OR 717/108).ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/02/03 10:58

L39	28447	{partion\$3 OR factor\$3) NEAR3 application	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/02/03 10:59
L40	118	L38 and L39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/03 10:59
L41	64	{@ad<= "20031024") and (virtual adj machine SAME (wrapper or seal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/03 11:13
L42	0	L41 and (@pd > "20091030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/03 11:13
L43	28	nexus AND VMM	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/02/03 11:14
L44	0	L43 and (@pd > "20091030")	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/02/03 11:14

L45	258	assurance NEAR2 environment	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/02/03 11:14
L46	12	L45 and (@pd > "20091030")	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/02/03 11:14
L47	164	partition\$3 SAME application SAME (secure NEAR3 data)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/02/03 11:16
L48	4	L47 and (@pd > "20091030")	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/02/03 11:16
L49	707	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (first with second with operating) and (application same (pars\$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:17
L50	10	L49 AND (@pd > "20091030")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:17
L51	30784	((virtual near machine) OR (hypervisor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/03 11:21

L52	1216	L51 AND (@pd > "20091030")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:21
L53	47	L51 AND (@pd > "20091030") AND L38	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:21
L54	33	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (function\$4 with application with (partition \$4 factor\$4 pars\$4 spli\$5) with first with second with (OS operating system)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:23
L55	0	L54 AND (@pd > "20091030")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:23
L56	3	((base SAME (first near2 object) SAME (second near2 object) SAME (first with second with (operating near system))).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:37
L57	0	((base SAME (first near2 object) SAME (second near2 object) SAME (wrapper with seal)).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:39
L58	10	((base SAME (first near2 object) SAME (second near2 object) SAME (wrapper or seal)).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:40
L59	0	((base SAME (first near2 object) SAME (second near2 object) SAME (wrapper or seal) SAME (first with second with OS)).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:41

L60	0	((first near2 object) SAME (second near2 object) SAME (wrapper or seal) SAME (first with second with OS)).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:42
L61	3	((first near2 object) SAME (second near2 object) SAME (wrapper or seal) SAME (indication or ID or identification or flag or tag)).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:42
L62	9	((first near2 object) SAME (second near2 object) SAME (wrapper or seal) SAME (environment)).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:44
L64	9	((first near2 object) SAME (second near2 object) SAME (environment) SAME (wrapper or seal)).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:47
L65	0	("2005/0257048").URPN.	USPAT	OR	ON	2010/02/03 11:47
L66	10	((first near2 object) SAME (second near2 object) SAME (environment) SAME (wrapper or seal\$4)).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:47
L67	2	((first near2 processor) SAME (second near2 processor) SAME (environment) SAME (wrapper or seal\$4)).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:49
L69	11	((first near2 processor) SAME (second near2 processor) SAME (environment) SAME (rout\$4 with (first or second))).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:50

L70	4	((first near2 processor) SAME (second near2 processor) SAME (check\$4 or verify\$5) SAME (plurality near2 data)).clm.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2010/02/03 11:52
L71	4	((first near2 processor) SAME (second near2 processor) SAME (check\$4 or verify\$5) SAME (plurality near2 data)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/03 11:52
L72	1	((first near2 object) SAME (second near2 object) SAME (check\$4 or verify\$5) SAME (plurality near2 data)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/03 11:56
L73	6	((first near2 object) SAME (second near2 object) SAME (check\$4 or verify\$5) SAME (plurality near2 data)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/03 11:57
L74	2	{application SAME (pars\$4) SAME (first with second with OS)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/03 12:00
L75	11	{application SAME (pars\$4) SAME (first with second with (OS or (operating near system))))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/03 12:04

S13	9808	application SAME (factoring OR partitioning)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/07 16:44
S14	19	application SAME (factoring OR partitioning) SAME trusted	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/07 16:49
S17	151	(secure OR "non-secure") SAME (infrastructure OR plumbing) SAME factor\$2	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/07 16:52
S18	1192	713/189.cds.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/09/19 13:58
S19	0	S17 AND S18	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/07 16:52
S20	30322	"713".clas.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/07 16:53
S22	9	Kurien-Thekkthalackal-\$.in.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:07

S23	21	Kurien-Thekkthalackal-\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:14
S26	0	60/318968	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:24
S27	0	"10771888"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:25
S28	1	"10/771888"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:26
S29	1	11/072982	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:27
S30	1	11/097697	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 17:45

S31	1	11/194100	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:28
S42	89	Ray-Kenneth-\$.in.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:37
S43	0	Ray-Kenneth-D-\$.in.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:37
S45	1	10/692224	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:40
S46	1	10/759818	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:44
S47	0	Peinado-Marcus-\$.in.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:48

S49	1	10/734028	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:48
S50	1	10/868116	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/08 08:48
S51	82	Peinado-\$in. AND marcus	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 09:04
S52	1	England-Paul-\$in.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 09:05
S53	177	England-\$in. AND Paul	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 09:17
S57	1	England-Paul-\$in.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 09:08

S59	1	England-Paul-\$.in.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 09:10
S63	2	"20020184520"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 09:39
S64	2	"20050091661"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 11:02
S66	2	"20050091661" AND logic	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 11:09
S67	0	"20050091661" AND keybaord	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 11:09
S68	1	"20050091661" AND keyboard	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 11:18

S69	1	"20050091661" AND (input SAME stream)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 11:18
S70	1	"20050091661" AND (input ORstream)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 11:18
S71	1	"20050091661" AND (input OR stream)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 13:54
S73	0	software SAME assurance	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 17:46
S74	2401	software SAME assurance	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 17:46
S75	0	software SAME "low-assurance OR high-assurance"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 17:46

S76	72	software SAME low-assurance OR high-assurance	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 17:49
S77	5	software SAME low-assurance OR high-assurance SAME object	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 17:48
S78	3115	nexus	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 17:50
S79	0	nexus SAME factoring	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 17:50
S80	1	nexus SAME factoring	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 17:50
S81	8	nexus SAME partitioning	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 17:52

S82	43	(partitioning or factoring) SAME (trust OR non-trust)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 17:54
S83	303	secure NEAR4 "non-secure" SAME component	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 18:00
S84	303	secure NEAR2 "non-secure" SAME component	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 18:00
S85	303	secure NEAR "non-secure" SAME component	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 18:00
S86	3015	secure NEAR "non-secure"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 18:00
S87	18	secure NEAR2 "non-secure" NEAR5 component SAME application	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 18:03

S88	0	"20060069926" AND nexus	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 18:04
S89	69	(factor\$2 OR partition\$2 OR Factor\$3 OR partition\$3) WITH (secure NEAR3 "non-secure")	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 18:09
S90	6	application NEAR5 (factor\$2 OR partition\$2 OR Factor\$3 OR partition\$3) WITH (secure NEAR3 "non-secure")	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 18:12
S91	34	application SAME(factor\$2 OR partition\$2 OR Factor\$3 OR partition\$3) WITH (secure NEAR3 "non-secure")	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 18:33
S92	41	assurance SAME TPM	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 19:24
S93	3115	nexus	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 19:24

S94	20	nexus AND VMM	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/08 19:24
S95	47	NGSCB OR "Next generation secure computing Base"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/11 07:41
S101	5	(NGSCB OR "Next generation secure computing Base") SAME (trust OR untrust)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/11 07:38
S102	3119	nexus	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/11 07:42
S103	8034	(713/310 OR 713/189-194 OR 713/176-177 OR 713/180 OR 726/9 OR 726/20 OR 726/22 OR 717/108).ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/11 07:43
S104	12	S102 AND S103	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/11 07:44

S111	3948	(trust\$2 OR untrust\$2) SAME environment	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 09:24
S112	140	(trust\$2 OR untrust\$2) SAME environment SAME (partion\$2 OR factor\$2)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 09:24
S113	156	assurance NEAR2 environment	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 09:25
S114	14	S112 AND S113	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 09:30
S115	181645	NGSCB OR Palladium	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 09:31
S116	15	(NGSCB OR Palladium) SAME nexus	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 09:46

S117	75	assurance NEAR4 environment SAME application	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:04
S118	184684	NGSCB OR Palladium OR Nexus	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:05
S119	8054	(713/310 OR 713/189-194 OR 713/176-177 OR 713/180 OR 726/9 OR 726/20 OR 726/22 OR 717/108).ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:05
S120	181654	NGSCB OR Palladium OR Nexus AND S119	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:08
S123	1	(partion\$3 OR factor\$3) NEAR2 application SAME trust SAME software	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:09
S124	12732	(partion\$3 OR factor\$3) NEAR2 application	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:09

S125	1	{(partion\$3 OR factor\$3) NEAR2 application SAME non-secure	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:09
S126	2	{(partion\$3 OR factor\$3) NEAR3 application SAME non-secure	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:23
S127	21409	{(partion\$3 OR factor\$3) NEAR3 application	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:25
S128	9237	{(partion\$3 OR factor\$3) SAME application SAME (secure OR non-secure)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:26
S129	1266	{(partion\$3 OR factor\$3) SAME application SAME (secure OR non-secure) SAME component	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:29
S133	203	{(partion\$3 OR factor\$3) WITH application SAME (secure OR non-secure) SAME component	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:29

S134	22	S133 AND S119	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:30
S135	9	assurance SAME wrapper SAME seal SAME object	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:32
S136	6629	(software ADJ object)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:32
S137	152	(software ADJ object) SAME (data ADJ object)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:33
S138	1	(software ADJ object) SAME (data ADJ object) SAME assurance	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:33
S139	773	partition NEAR application	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:36

S140	26	(partition NEAR application) SAME secure	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:50
S141	0	"200500191661" AND tampering	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:51
S142	0	"200500191661"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:51
S143	2	"20050091661"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 10:51
S144	2	"20050091661" AND tampering	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 12:40
S145	231153	application SAME (secure OR non-secure)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 12:41

S146	11103	application NEAR4 (secure OR non-secure)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 12:41
S147	11094	application NEAR4 (secure)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 12:41
S148	2675	application NEAR (secure)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 12:42
S149	45	partition\$3 SAME application NEAR (secure)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 12:51
S151	84	partition\$3 SAME application SAME (secure NEAR3 data)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:24
S152	0	NGSCB SAME (partition NEAR application)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:25

S153	42	NGSCB	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:37
S154	14	NGSCB SAME nexus	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:31
S155	181616	palladium	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:31
S157	1968	(trust\$2 OR untrust\$2) NEAR3 computer	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:36
S158	1403	(trust\$2 OR untrust\$2) NEAR2 computer	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:33
S159	0	(trust\$2 OR untrust\$2) NEAR2 computer SAME securer	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:33

S160	339	(trust\$2 OR untrust\$2) NEAR2 computer SAME secure	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:34
S161	0	(trust\$2 OR untrust\$2) NEAR2 computer SAME secure SAME enviroment	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:34
S162	10	(trust\$2 OR untrust\$2) NEAR2 computer SAME secure SAME assurance	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:34
S163	1	(trust\$2 near enviroment)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:36
S164	47	(NGSCB OR "next generation secure computing base")	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:37
S165	72	high-assurance	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 08:10

S166	1	"20050033980" AND policy	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 08:26
S167	1	"20050091661" AND policy	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 08:22
S168	1	"20050091661" AND label	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 08:22
S169	0	"20050033980" AND LABEL	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 08:26
S170	0	"20050033980" AND MAC	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 08:31
S171	9	MAC NEAR5 environment SAME (label or category)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:23

S172	2	"20040153672"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:28
S173	0	"switchibng between secure and non-secure processing modes"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:29
S174	0	"switching between secure and non-secure processing modes"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:29
S175	3110	secure NEAR3 non-secure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:29
S176	3110	secure NEAR2 non-secure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:29
S177	3110	secure NEAR non-secure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:30

S178	1	secure NEAR non-secure AND "S301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:31
S179	3110	secure NEAR non-secure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:07
S180	3110	secure NEAR "non-secure"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:32
S181	626	secure ADJ "non-secure"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:32
S182	5	("6049838" "6108715" "6330670" "6434679" "6487665").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 09:49
S183	5	("6049838" "6108715" "6330670" "6434679" "6487665").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 10:08
S184	2781	secure and non-secure	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 10:09
S185	2781	secure NEAR non-secure	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 10:09

S186	338	(secure NEAR non-secure) SAME environment	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 10:09
S187	1	(secure NEAR non-secure) SAME environment SAME nexus	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 10:09
S188	2	("2004/0170046").URPN.	USPAT	OR	ON	2007/04/13 10:25
S189	1	"4521285".pn.	USPAT	OR	ON	2007/04/13 10:25
S190	1	"5,491,827".pn.	USPAT	OR	ON	2007/04/13 10:26
S191	1	"5581722".pn.	USPAT	OR	ON	2007/04/13 10:27
S192	1	"5638537".pn.	USPAT	OR	ON	2007/04/13 10:28
S193	0	"20030101322"	USPAT	OR	ON	2007/04/13 10:28
S194	1	"20030101322"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/04/13 10:34
S195	1	"20030140245"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/04/13 10:29
S196	1	"20040064351"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/04/13 10:47

S197	1	"3827029".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/04/13 12:16
S198	0	"10693749"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/04/13 12:16
S199	1	10/693749	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/04/13 12:17
S200	2	11/169002	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/04/13 12:17
S201	515	secure NEAR non-secure SAME mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:12
S204	2	10/933478	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:12

S205	8054	(713/310 OR 713/189-194 OR 713/176-177 OR 713/180 OR 726/9 OR 726/20 OR 726/22 OR 717/108).cls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:12
S206	89	secure NEAR non-secure SAME mode AND S205	US-PGPUB; USPAT; USOCR; FPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:13
S207	1797	arm.as.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:25
S208	47	arm.as. AND (secure NEAR3 non-secure)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:25
S209	47	arm.as. AND (secure NEAR3 "non-secure")	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:32
S210	2	"4899275".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:32

S211	2	"20050138257"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:53
S212	2	"20040153672"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 14:57
S213	2	"20020007456"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 14:58
S214	2	"6292874".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 14:59
S215	2	"6282657".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:09
S216	2	"7082507".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:11

S217	2	"7082507".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:11
S218	2	"20030041255"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:12
S219	2	"5235642".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:46
S220	2	"7152165".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:52
S221	2	"20050033980"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/14 12:10
S222	178	MAC NEAR3 label	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/14 12:14

S223	1	MAC NEAR3 label SAME VMM	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/14 12:14
S224	3	MAC NEAR3 label SAME assurance	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/14 12:14
S225	3	MAC NEAR3 label SAME assurance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 12:15
S226	1056	MAC SAME label	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 12:16
S227	23	MAC SAME label SAME environment	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 12:29
S228	1	"20050091661" AND (security SAME policy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 15:43

S229	1	"20050091661" AND (policy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 14:32
S230	1	"20050091661" AND (seal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 15:08
S231	0	"106199181".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 15:27
S232	2	"6199181".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 15:28
S233	2	"6282657".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 15:41

S234	1	"20050091661" AND specification	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 15:41
S235	1	"20050091661" AND (specification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 15:51
S236	1	"20050091661" AND (assurance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 16:09
S237	1	"20050091661" AND (specification same assurance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:29
S240	0	"20050091661" AND (resistance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:29

S241	1	"20050091661" AND (resistance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:31
S242	1	"20050091661" AND (tamper\$3 SAME resistance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:32
S243	2	"20050091661" AND (tamper\$3 SAME (resistance OR resist\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 18:20
S244	1	"20050091661" AND (keyboard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 18:59
S245	0	display SAME resistance SAME render\$2 SAME location	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 19:01
S247	1	(non-secure NEAR2 partition) SAME (secure NEAR partition) SAME display	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/14 19:02

S248	6	(non-secure NEAR2 partition) SAME (secure NEAR partition)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/14 19:05
S250	3152	(non-secure OR nonsecure) SAME (secure)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/14 19:05
S251	141	(non-secure OR nonsecure) SAME (secure) SAME monitor	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/14 19:12
S252	22	"5724027"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/14 19:12
S253	2	"5724027".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/14 19:23
S254	1	"7165135".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/14 19:23

S255	2	10/428279	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 06:56
S256	2	10/428279	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/15 06:56
S257	2	10/428279	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/15 06:56
S258	0	"10419121"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 06:59
S259	7	"10/419121"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 06:59
S260	2	"20030101322"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 07:12
S261	2	"7020767".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 07:17

S262	2	"6581162".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 07:27
S263	2	"4672572".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 07:28
S264	1	10/638199	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 07:29
S265	3	09/837904	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 07:29
S266	4	10/208718	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 07:34
S267	3	"20030200402"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 07:52

S268	472	"5892900"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 07:57
S269	2	"5892900".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 07:57
S270	2	"5397242".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 08:02
S271	2	"6397242".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 08:02
S272	2	"6496823".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 08:05
S273	2	"6496847".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 08:05

S274	2	"6006332".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 08:09
S275	2	"6490720".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 08:09
S276	1	09/976885	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 09:03
S278	563	"mandatory access control" OR MAC SAME DAC	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 12:46
S279	222	"mandatory access control" OR MAC SAME DAC SAME security	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 12:46
S280	196	"mandatory access control" OR MAC SAME DAC SAME security same base	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 15:55

S281	195	"mandatory access control" OR MAC SAME DAC SAME security same base SAME label	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 13:34
S282	1100	("mandatory access control" OR MAC) SAME label	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 13:34
S283	30	("mandatory access control" OR MAC) SAME label SAME category	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 13:38
S284	2	"20060248083"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 13:36
S285	62652	("mandatory access control" OR MAC) SAME label SAME seal assurance	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 13:39
S287	1100	("mandatory access control" OR MAC) SAME label	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 13:40

S288	89	("mandatory access control" OR MAC) SAME label SAME transport	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 13:44
S289	513	("mandatory access control" OR MAC) WITH label	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 13:45
S290	0	("mandatory access control" OR MAC) WITH label SAME FEFS	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 13:45
S291	1	("mandatory access control" OR MAC) WITH label SAME FESF	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 13:45
S292	26	("mandatory access control" OR MAC) WITH label SAME write	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 13:45
S293	54	("mandatory access control" OR MAC) WITH label SAME (write OR read)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 16:20

S294	0	("mandatory access control" OR MAC) SAME NGSCB	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 15:25
S295	2	"5859966".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 15:27
S296	1	"20050091661" AND identifier	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 15:40
S297	1	"20050091661" AND class\$2	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 15:40
S298	2	"20050091660"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 15:55
S299	0	"20050091660" AND encod\$2	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 15:55

S300	0	"20050033980" AND "video memory"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 16:21
S301	1	"20050033980" AND "video"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/15 16:21
S302	1	"20050091661" AND identifier	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/16 10:08
S303	1	"20050091661" AND class	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/16 10:14
S304	4	10/714520	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/16 10:14
S305	2	10/714518	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/16 10:31

S306	1	"20050091661" AND encode	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/16 10:34
S307	1	"20050091661" AND (encode OR encode)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/16 10:34
S308	1	"20050091661" AND (encode OR encoded)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/16 11:46
S309	1	"20050091661" AND (sign)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/16 11:47
S310	1	"20050091661" AND (sign OR signature)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/04/16 11:48
S311	1	"20050091661" and (bas\$2 near layer)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/09/19 15:23
S312	1	10/913609	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/09/19 15:25

S313	15	("20050240810" "6507948" "20060004667" "5673403".pn. "7146640".pn. "6678712".pn. "6385721".pn. "20040039944" "7260839".pn.)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/09/19 15:27
S314	21	("7146640".pn. "5835695".pn. "6578140".pn. "20050149933".pn. "6892261".pn. "6678712". pn. "6957286".pn. "6996828".pn. "20040205755" "6697972".pn.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 15:50
S315	2	"6892261".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 15:50
S316	2	"6006332".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:01
S317	18125	((virtual near machine) OR (hypervisor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 05:47
S318	630	718/1.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:02

S319	450	S317 and S318	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:02
S320	307	(S317 and S318) and ((shar\$3 OR access\$3) with (data OR informatio OR process))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:03
S321	195	S320 and @ad<="20031024"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 17:03
S322	18184	((virtual near machine) OR (hypervisor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 05:48
S323	631	718/1.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 05:48

S324	308	((S322 and S323) and ((shar\$3 OR access\$3) with (data OR informatio OR process))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 05:48
S325	634010	((shar\$3 OR access\$3) with (data OR informatio OR process))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 05:48
S326	633983	((shar\$3 OR access\$3) with (data OR information OR process))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 05:49
S327	779620	((shar\$3 OR access\$3) with (data OR information OR process))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:35
S332	39788	((shar\$3 OR access\$3) with (data OR information OR process)) same (VMM OR "virtual machine monitor" OR monitor OR hypervisor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 10:28

S333	116	S323 and S332	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:38
S334	1	("2005/0071840").URPN.	USPAT	OR	ON	2007/09/20 08:44
S335	19	("20040003323" "20040010788" "20040117532" "20040215860" "20050060703" "20050071840" "20050132365" "5101346" "5291605" "5361375" "5371857" "5553291" "5560019" "5892956" "6397242" "6453344" "6453392" "6944699" "7020761").PN. OR ("7222203").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 09:35
S336	1	"20050091661" and route	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 09:36
S337	55	S333 and @ad <="20031023"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 10:28
S338	0	"20050091661" and (pars\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 09:32
S339	15	(base near layer) with (first with second with environment)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 09:34

S340	4983230	(first with second operating)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 09:36
S343	200705	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (first with second with operating)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 09:38
S347	34	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (first with second with operating) and (application near pars\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 09:40
S348	620	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (first with second with operating) and (application same (pars\$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 09:43
S349	0	(713/180.ccls.) and (@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (first with second with operating) and (application same (pars \$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 09:45
S350	1	(713/310, 189-194,176-177,180.ccls.) and (@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (first with second with operating) and (application same (pars\$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 09:46
S351	3	(726/9,20,22.ccls.) and (@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (first with second with operating) and (application same (pars \$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 09:47

S352	4	((717/108.ccls.) and (@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (first with second with operating) and (application same (pars \$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 09:49
S353	3	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (function\$4 with application with pars\$4 with first with second with (OS operating system))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 09:51
S354	10	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (function\$4 with application with (pars\$4 spli\$5) with first with second with (OS operating system))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 09:54
S355	30	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (function\$4 with application with (partition \$4 factor\$4 pars\$4 spli\$5) with first with second with (OS operating system))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 09:57
S356	29	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (function\$4 with application with (partition \$4 factor\$4 pars\$4 split\$5) with first with second with (OS operating system))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 09:58
S357	72	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (function\$4 with application with (partition \$4 factor\$4 pars\$4 split\$5 analyz\$4 divid\$4) with first with second with (OS operating system))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 10:08

S358	112	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (function\$4 with application with (partition \$4 factor\$4 pars\$4 split\$5 analyz\$4 divid\$4) with plurality with (OS operating system))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 10:12
S359	0	{(713/310, 189-194,176-177,180.ccls.) and {@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (function\$4 with application with (partition \$4 factor\$4 pars\$4 split\$5 analyz\$4 divid\$4) with plurality with (OS operating system))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 10:14
S360	0	{(726/9,20,22.ccls.)) and (@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (function\$4 with application with (partition\$4 factor\$4 pars\$4 split\$5 analyz\$4 divid\$4) with plurality with (OS operating system))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 10:15
S361	0	{(@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (function\$4 with application with (partition \$4 factor\$4 pars\$4 split\$5 analyz\$4 divid\$4) with plurality with (OS operating system)) and (factor\$4 near application)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 10:16
S362	42	{(@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (function\$4 with application with (partition \$4 factor\$4 pars\$4 split\$5 analyz\$4 divid\$4) with plurality with (OS operating system)) and (factor\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 10:16
S363	7	{(@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (function\$4 with application with (partition \$4 factor\$4 pars\$4 split\$5 analyz\$4 divid\$4) with plurality with (OS (operating near system))) and (factor\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 10:17

S364	101	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task processing word) with (partition\$4 factor\$4 pars\$4 split\$5 analyz\$4 divid\$4) with (plurality dual multiple) adj (OS (operating near system)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 10:33
S365	1	"7309004".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 11:07
S366	1	"7309004".pn. and (code application execut\$ routine process\$5 function\$5)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 11:25
S367	9063	((trust\$4 secur\$4 protect\$4) near5 (mode stage) and (secur\$4) near5 (code application execut\$4 routine process\$4 function)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 11:29
S368	6830	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (trust\$4 secur\$4 protect\$4) near5 (mode stage) and (secur\$4) near5 (code application execut\$4 routine process\$4 function)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 11:30
S369	34321	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and (trust\$4 secur\$4 protect\$4) near5 (mode stage) and (code application execut\$4 routine process\$4 function)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 11:31
S370	34321	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((trust\$4 secur\$4 protect\$4) near5 (mode stage) and (code application execut\$4 routine process\$4 function))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 11:31

S371	14155	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((trust\$4 secur\$4 protect\$4) near5 (mode stage) same (code application execut\$4 routine process\$4 function))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 11:32
S372	7048	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((trust\$4 secur\$4 protect\$4) near5 (mode stage) with (code application execut\$4 routine process\$4 function))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 11:32
S373	22	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((trust\$4 secur\$4 protect\$4) near5 (mode stage) with (code application execut\$4 routine process\$4 function)) and nexus	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 11:33
S374	184	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task processing word code execut\$4 routine process\$4 function) with (partition\$4 factor\$4 pars\$4 split\$5 analyz\$4 divid\$4) with (plurality dual multiple) adj (OS (operating near system)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 11:45
S375	125	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task processing word code execut\$4 routine process\$4 function) with (partition\$4 factor\$4 pars\$4 split\$5 analyz\$4 divid\$4) with (plurality dual multiple) adj (OS (operating near system))) and (trust\$4 protect \$4 mode nexus)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 11:46

S376	1808	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task processing word code software API execut\$4 routine process\$4 function) with (plurality dual multiple) adj (OS (operating near system) nexus trust\$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 12:18
S377	1	09/243097	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 12:31
S378	2073	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task processing word code software API execut\$4 routine process\$4 function run\$4) with (plurality dual multiple) adj (OS (operating near system) nexus trust \$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 12:52
S379	226	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task processing word code software API execut\$4 routine process\$4 function run\$4) with (plurality dual multiple) adj (OS (operating near system) nexus trust \$4)) and (trust\$4 or untrst\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 12:56
S380	2078	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task processing word code software API execut\$4 routine process\$4 function program run\$4) with (plurality dual multiple) adj (OS (operating near system) nexus linux "OS'2"))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 13:33

S381	9	{(713/310, 189-194,176-177,180.ccls.) and (@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task processing word code software API execut\$4 routine process\$4 function program run\$4) with (plurality dual multiple) adj (OS (operating near system) nexus linux "OS/2"))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 13:35
S382	9	{(713/310, 189-194,176-177,180.ccls.) and (@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task word code software API program execut\$4 routine process\$4 function program run\$4) with (plurality dual multiple) adj (OS (operating near system) nexus linux "OS/2"))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 13:38
S383	131363	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task code software program routine process\$4 function program) near3 (partition split\$4 factor))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 13:46
S384	86679	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task code software program routine process\$4 function program) near2 (partition split\$4 factor))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 13:47
S385	149	((@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task code software program routine process\$4 function program) near2 (partition split\$4 factor)) and nexus	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 13:47

S386	2	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task code software program routine process\$4 function program) near2 (partition split\$4 factor)) with nexus	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 13:47
S387	0	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task code software program routine process\$4 function program) near2 (partition split\$4 factor) with (dual multiple plularity) adj (OS linux nexus))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 13:48
S388	0	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task code software program routine process\$4 function program) near2 (partition split\$4 factor\$4) with (dual multiple plularity) adj (OS linux nexus))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 13:49
S389	4	{@ad<= "20031024" @pd<= "20031024" @rlad<= "20031024" @prad<= "20031024") and ((application task code software program routine process\$4 function program) near2 (partition split\$4 factor\$4) same ((dual multiple plularity) adj (OS linux nexus)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 13:49
S390	15	(sealed near storage) near5 attestation	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/04/21 18:44
S391	0	("2005/0033980").URPN.	USPAT	OR	ON	2008/04/21 18:47
S392	0	("2005/0033980").URPN.	USPAT	OR	ON	2008/04/21 18:47
S393	0	(base near layer) with assign with identifier	USPAT	OR	ON	2008/04/21 20:09

S394	31821	(base near layer)	USPAT	OR	ON	2008/04/21 20:11
S395	0	"20050091661" and (base near layer)	USPAT	OR	ON	2008/04/21 20:11
S396	0	"20050091661"	USPAT	OR	ON	2008/04/21 20:11
S397	2	"20050091661" and (base near layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 20:12
S398	1	"20050091661" and (first adj software adj object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 20:23
S399	1	"20050091661" and (second adj software adj object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 20:24
S400	2	"20050091661" and (software adj object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 20:24

S401	2	"20050091661" and (layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 20:25
S402	1	"20050091661" and (identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 20:38
S403	1896	(VMM (virtual adj machine adj monitor) hypervisor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 20:52
S404	41	(VMM (virtual adj machine adj monitor) hypervisor) and (high near assurance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 20:53
S405	45	(VMM (virtual adj machine adj monitor) hypervisor) and (high near assurance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 20:53

S406	89	((virtual near machine) OR (hypervisor)) and (nexus NGSCB)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 21:12
S407	25	@ad<"20031024" and ((virtual near machine) OR (hypervisor)) and (nexus NGSCB)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 21:12
S408	25	@ad<"20031024" and ((virtual near machine) OR (hypervisor) or (reference near monitor)) and (nexus NGSCB)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 21:14
S409	18	@ad<"20031024" and ((high near assurance) with operating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 21:17
S410	2	"6006332".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 07:35

S411	2	"6490720".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 07:36
S412	2144	sealed adj storage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 07:40
S413	19	(sealed adj storage) and (trusted near comput \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 07:41
S414	0	("2005/0033980").URPN.	USPAT	OR	ON	2008/04/22 07:46
S415	5	("20030028773" "6038666" "6742039" "7139916" "7149899").PN. OR ("7337324"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 07:46
S416	13	("20020143691" "20020174369" "20030037237" "20030097578" "20040039924" "6226618" "6343297" "6658406" "6704753" "7051200" "7107463" "7137004" "7159240").PN. OR ("7330981").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 07:47

S417	120	"20010025281" "20020007452" "20020069365" "20020107803" "20020120936" "20020152173" "20030149738" "20040205709" "4827508" "4969189" "4977594" "5023907" "5050213" "5140634" "5276311" "5335334" "5410598" "5473690" "5473692" "5491827" "5544246" "5557518" "5654746" "5664016" "5671280" "5721781" "5742829" "5745886" "5757919" "5787427" "5796824" "5812662" "5812980" "5841869" "5872847" "5892900" "5892902" "5892904" "5910987" "5915019" "5917912" "5919257" "5920861" "5933498" "5940504" "5943422" "5944821" "5949876" "5953502" "5958050" "5963980" "5982891" "5991399" "5991876" "6006332" "6009274" "6009401" "6026166" "6032257" "6038551" "6073124" "6092189" "6105137" "6112181" "6118873" "6138119" "6148387" "6148402" "6157721" "6167567" "6175917" "6185678" "6185683" "6189100" "6189101" "6192473" "6202207" "6212636" "6223284" "6229894" "6230285" "6237091" "6237786" "6240185" "6253193" "6263431" "6272629" "6292569" "6327652" "6330588" "6330670" "6338139" "6341373" "6363486" "6363488" "6367012" "6376013" "6381741" "6389402" "6389537" "6427140" "6449367" "6477252" "6477648" "6480961" "6493871" "6560706" "6618735"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 08:08
------	-----	---	---------------------------	----	----	---------------------

		"6708276" "6757824" "6775779" "6938164" "7003560" "7020645" "7089530" "7089583" "7107463" PN. OR ("7159240"), URPN.				
S418	120	("20010025281" "20020007452" "20020069365" "20020107803" "20020120936" "20020152173" "20030149738" "20040205709" "4827508" "4969189" "4977594" "5023907" "5050213" "5140634" "5276311" "5335334" "5410598" "5473690" "5473692" "5491827" "5544246" "5557518" "5654746" "5664016" "5671280" "5721781" "5742829" "5745886" "5757919" "5787427" "5796824" "5812662" "5812980" "5841869" "5872847" "5892900" "5892902" "5892904" "5910987" "5915019" "5917912" "5919257" "5920861" "5933498" "5940504" "5943422" "5944821" "5949876" "5953502" "5958050" "5963980" "5982891" "5991399" "5991876" "6006332" "6009274" "6009401" "6026166" "6032257" "6038551" "6073124" "6092189" "6105137" "6112181" "6118873" "6138119" "6148387" "6148402" "6157721" "6167567" "6175917" "6185678" "6185683" "6189100" "6189101" "6192473" "6202207" "6212636" "6223284" "6229894" "6230285" "6237091" "6237786" "6240185" "6253193" "6263431" "6272629" "6292569" "6327652" "6330588" "6330670" "6338139" "6341373" "6363486" "6363488" "6367012"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 08:08

		"6376013" "6381741" "6389402" "6389537" "6427140" "6449367" "6477252" "6477648" "6480961" "6493871" "6560706" "6618735" "6708276" "6757824" "6775779" "6938164" "7003560" "7020645" "7089530" "7089583" "7107463").PN. OR ("7159240").URPN.				
S419	13	("20020143691" "20020174369" "20030037237" "20030097578" "20040039924" "6226618" "6343297" "6658406" "6704753" "7051200" "7107463" "7137004" "7159240").PN. OR ("7330981").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 08:13
S420	0	assign\$4 near3 (id identity identifier) with environment	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 09:00
S421	296	assign\$4 near3 (id identity identifier) with environment	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 09:00
S422	325	assign\$4 near3 (id identity identifier) with environment	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 09:00
S423	195	@ad<"20031024" and assign\$4 near3 (id identity identifier) with environment	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 09:01

S424	107	@ad<"20031024" and assign\$4 near3 (id identity identifier) with environment and (operating adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 09:01
S425	11	@ad<"20031024" and assign\$4 near3 (id identity identifier) with environment and (operating adj system) and (trusted)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 09:01
S426	1	10/693749 and (second adj application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 09:08
S427	0	(ciphera\$4 adj graphic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 09:30
S428	0	(indeciphera\$4 adj graphic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 09:30

S429	0	(indecipherable adj graphics)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 09:30
S430	0	NGSON with secur\$4 with (input output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 09:31
S431	1	NGSCB with secur\$4 with (input output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 09:32
S432	98991	secur\$4 with (input output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 09:33
S433	28	secur\$4 with (input output) and NGSCB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 09:33
S434	0	("2005/0033980").URPN.	USPAT	OR	ON	2008/04/22 09:34
S435	402	(high near assurance)	USPAT	OR	ON	2008/04/22 09:38

S436	3	(high near assurance) and (nexus)	USPAT	OR	ON	2008/04/22 09:39
S437	59	(trusted same untrusted).ab.	USPAT	OR	ON	2008/04/22 09:50
S438	724	(trusted same untrusted)	USPAT	OR	ON	2008/04/22 09:51
S439	3764165	@ad<"20031024"(trusted same untrusted)	USPAT	OR	ON	2008/04/22 09:52
S440	634	@ad<"20031024" and (trusted same untrusted)	USPAT	OR	ON	2008/04/22 09:52
S441	55	@ad<"20031024" and (trusted same untrusted) same mode	USPAT	OR	ON	2008/04/22 09:52
S442	218	{"0607160" "20010021969" "20010027511" "20010027527" "20010037450" "20020007456" "20020023032" "20020147916" "20020166061" "20020169717" "20020184520" "20030018892" "20030074548" "20030115453" "20030126442" "20030126453" "20030159056" "20030188179" "20030196085" "20040117539" "3699532" "3996449" "4037214" "4162536" "4207609" "4247905" "4276594" "4278837" "4307447" "4319233" "4319323" "4347565" "4366537" "4403283" "4419724" "4430709" "4521852" "4571672" "4759064" "4795893" "4802084" "4825052" "4907270" "4907272" "4910774" "4975836" "5007082" "5022077" "5075842" "5079737" "5187802" "5230069" "5237616" "5255379" "5287363" "5293424" "5295251" "5317705" "5319760" "5361375" "5386552"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 09:55

"5421006"	"5434999"	"5437033"
"5442645"	"5455909"	"5459867"
"5459869"	"5469557"	"5473692"
"5479509"	"5504922"	"5506975"
"5511217"	"5522075"	"5528231"
"5533126"	"5555385"	"5555414"
"5560013"	"5564040"	"5566323"
"5568552"	"5574936"	"5582717"
"5604805"	"5606617"	"5615263"
"5628022"	"5628023"	"5633929"
"5657445"	"5668971"	"5684948"
"5706469"	"5717903"	"5720609"
"5721222"	"5729760"	"5737604"
"5737760"	"5740178"	"5752046"
"5757919"	"5764969"	"5796835"
"5796845"	"5805712"	"5809546"
"5825875"	"5825880"	"5835594"
"5844986"	"5852717"	"5854913"
"5867577"	"5872994"	"5890189".PN. OR
"5900606"	"5901225"	"5903752"
"5919257"	"5935242"	"5935247"
"5935249"	"5937063"	"5953502"
"5956408"	"5970147"	"5978475"
"5978481"	"5987557"	"5987604"
"6014745"	"6035374"	"6044478"
"6055637"	"6058478"	"6061794"
"6075938"	"6085296"	"6088262"
"6092095"	"6093213"	"6101584"
"6108644"	"6115816"	"6125430"
"6131166"	"6148379"	"6158546"
"6173417"	"6175924"	"6175925"
"6178509"	"6182089"	"6188257"
"6192455"	"6199152"	"6205550"
"6212635"	"6222923"	"6249872"
"6252650"	"6269392"	"6272533"
"6272637"	"6275933"	"6282650"
"6282651"	"6282657"	"6292874"

		"6301646" "6308270" "6314409" "6321314" "6327652" "6330670" "6339815" "6339816" "6357004" "6363485" "6374286" "6374317" "6378068" "6378072" "6389537" "6397242" "6397379" "6412035" "6421702" "6435416" "6445797" "6457068" "6463535" "6463537" "6499123" "6505279" "6507904" "6529909" "6535988" "6557104" "6560627" "6609199" "6615278" "6633963" "6633981" "6651171" "6678825" "6684326" "6754815" "6760441" "6769058" "6795905").PN. OR ("7069442").URPN.				
S443	1	"7309004".pn. and (ID identifier)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 10:00
S444	96234	(display\$4 with (token graphic))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 10:06
S445	15	(display\$4 with (token graphic)) with (cipher\$ indecipher%4)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 10:06
S446	16	(display\$4 with (token graphic)) with (cipher \$4 indecipher\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 10:06
S447	1	"7082507".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 10:26
S448	1	"7194623".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 10:30
S449	1	10/638199	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 10:38
S450	0	10/693749 and (based near layer)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 13:06
S451	1	10/693749 and (base near layer)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 13:07

S452	0	10/693749 and (assurance near2 policy)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 13:49
S453	0	10/693749 and (assurance near2 policy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 13:50
S454	1	10/693749 and (assurance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 13:50
S455	1	10/693749 and (policy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 13:51
S456	1	10/693749 and (assurance near environment policy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 13:57
S457	456	(indecipherable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 14:28

S458	2	((indecipherable near2 graphic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 14:28
S459	91	((indecipherable blur\$5) near2 graphic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 14:29
S460	61	@ad<"20031024" and ((indecipherable blur\$5) near2 graphic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 14:30
S461	61	@ad<"20031024" and ((indecipherable blur\$5 illigible decipherable incomprehensible) near2 graphic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 14:34
S462	1446	@ad<"20031024" and ((indecipherable blur\$5 illigible decipherable incomprehensible) near2 (graphic token object))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 14:34

S463	61	@ad<"20031024" and ((indecipherable blur\$5 illegible decipherable incomprehensible) near2 (graphic token))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 14:35
S464	5	@ad<"20031024" and ((indecipherable blur\$5 illegible decipherable incomprehensible) near2 (graphic token)) with display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 14:35
S465	30	@ad<"20031024" and ((indecipherable blur\$5 illegible decipherable incomprehensible obsc\$3 cipher\$5) near2 (graphic token)) with display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 14:38
S466	63	@ad<"20031024" and ((indecipherable blur\$5 illegible decipherable incomprehensible obsc\$3 cipher\$5) near5 (graphic token)) with display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 14:50
S467	332	@ad<"20031024" and ((indecipherable blur\$5 illegible decipherable incomprehensible obsc\$3 cipher\$5) near5 (graphic token object)) with display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 14:50

S468	1	10/693749 and keyboard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 15:19
S469	1	10/746865 and (sign hash signature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 16:42
S470	1	10/746865 and (sign hash signature) and (application software component)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 16:45
S471	1	10/746865 and (sign\$4 hash signature) same (application software component)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 16:49
S472	1	10/693749 and (sign\$4 with application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 16:53

S473	1	10/693749 and (sign\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 16:53
S474	1	10/693749 and (sign\$4 signature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 16:55
S475	1	10/746865 and (sign\$4 hash signature) same (application software component TM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 16:57
S476	1	10/746865 and (sign\$4 hash signature) same (application software component TPM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 16:58
S477	45	(supersede near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 17:27

S478	26	@ad<"20031024" and (supersede near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 17:27
S479	1	10/693749 and (supersede near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 17:30
S480	1	10/693749 and (supersede)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 17:30
S481	1	10/746865 and (seal\$2 near2 storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 20:50
S490	3	Hayman and (security adj label)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 09:25

S497	5	"7309004".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 10:35
S498	5	{"20020004905" "5721781" "5836104" "6520410" "6676018").PN. OR ("7309004"). UPPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/23 10:38
S499	1	09/243097	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/23 10:39
S501	1	10/940042 and (representation with client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 12:26
S502	1	10/940042 and (public near key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 12:32
S503	2	US-20050091661-A1.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/19 22:04
S504	1	2005-324031.NRAN.	DERWENT	OR	ON	2008/10/19 22:05

S505	3	MAC NEAR3 label SAME assurance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/19 22:06
S506	54	(supersede near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/19 22:06
S507	100	(factor\$2 OR partition\$2 OR Factor\$3 OR partition\$3) WITH (secure NEAR3 "non- secure")	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/10/19 22:06
S508	109	software SAME low-assurance OR high- assurance	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/10/19 22:06
S509	16	(software SAME low-assurance OR high- assurance) and nexus	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/10/19 22:08
S510	46	(software SAME low-assurance OR high- assurance) and (@ad<="20031024")	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/10/19 22:10

S511	1	10/693749 and (level near2 assurance)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/10/20 08:08
S512	185	(manag\$4 with (partition near2 (software or application)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 14:33
S513	3	(manag\$4 with (partition near2 (software or application))) with (object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 14:34
S514	6	(manag\$4 with (partition near2 (software or application))) and (assurance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 14:35
S515	0	("2006/0123217").URPN.	USPAT	OR	ON	2008/10/20 14:36
S516	301	(secure near partition)	USPAT	OR	ON	2008/10/20 14:56
S517	5	(secur\$2 near partition) same (unsecur\$2 near partition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 14:56

S518	1	10/693749 and (policy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 15:56
S519	0	10/693749 and (assurance near2 policy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 15:57
S520	51	(VMM (virtual adj machine adj monitor) hypervisor) and (high near assurance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 18:53
S521	0	("2008/0077993").JRP.N.	USPAT	OR	ON	2008/10/20 18:53
S522	8	("20020143691" "20020174369" "20020174369" "20030037237" "20030097578" "20030097578" "20040039924" "6226618" "6343297" "6658406" "6704753" "7051200" "7107463" "7137004" "7159240").PN.	USPAT	OR	ON	2008/10/20 18:57
S523	8	("20030097578" or "20020174369" or "7159240".pn. or "7137004" or "7107463". pn.)	USPAT	OR	ON	2008/10/20 18:59

S524	17	("20030097578" or "20020174369" or "7159240".pn. or "7137004" or "7107463".pn.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 18:59
S525	7	("20030097578" or "20020174369" or "7159240".pn. or "7137004" or "7107463".pn.) and (VMM or hypervisor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 18:59
S526	2	("2003/0097578").URPN.	USPAT	OR	ON	2008/10/20 19:01
S527	3912	(VMM (virtual adj machine adj monitor) hypervisor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 19:04
S528	272	(VMM (virtual adj machine adj monitor) hypervisor) same (partit\$4 near4 (software or application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 19:04
S529	124	(VMM (virtual adj machine adj monitor) hypervisor) same (partit\$4 near4 (software or application)) and (assurance or policy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 19:05
S530	1	("2004/0064718").URPN.	USPAT	OR	ON	2008/10/20 19:17

S531	272	(VMM (virtual adj machine adj monitor) hypervisor) same ((partit\$4 or break\$4 or divid\$4) near4 (software or application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 19:21
S532	286	(VMM (virtual adj machine adj monitor) hypervisor) same ((partit\$4 or break\$4 or divid\$4) near4 (software or application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 19:21
S533	0	(VMM (virtual adj machine adj monitor) hypervisor) same ((partit\$4 or break\$4 or divid\$4) near4 (software or application)) with (high\$1assurance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 19:21
S534	0	(VMM (virtual adj machine adj monitor) hypervisor) same ((partit\$4 or break\$4 or divid\$4) near4 (software or application)) same (high\$1assurance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 19:22
S535	1	(VMM (virtual adj machine adj monitor) hypervisor) same ((partit\$4 or break\$4 or divid\$4) near4 (software or application)) and (high\$1assurance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 19:22

S536	154	(VMM (virtual adj machine adj monitor) hypervisor) same ((partit\$4 or break\$4 or divid \$4) near4 (software or application)) and ((high \$1assurance) or \$2protect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 19:23
S537	1	"20050091661" and interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 09:37
S538	1	"20050091661" and (application near3 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 09:42
S546	3	(application) adj (factor\$4 or partition\$4) same (high\$1assurance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 10:51
S547	29	(application) adj (factoring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 10:55

S548	12	(application) near3 (factor\$4 or divid\$4 or partition\$4 or break\$4) with (\$6assurance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 10:56
S549	89	(application) adj (factor\$4 or partition\$4) same (high\$1assurance or \$4protect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 10:58
S551	3	(application) with (factor\$4 or partition\$4) same (high\$1assurance) with (\$4protect\$4 or \$4secur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 11:06
S552	3	(application) with (factor\$4 or partition\$4) same (high\$1assurance) same (\$4protect\$4 or \$4secur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 11:06
S553	3	(application) with (factor\$4 or partition\$4) same (high\$1assurance) and (\$4protect\$4 or \$4secur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 11:06

S554	12	{application) with (factor\$4 or partition\$4) and (high\$1assurance) and (\$4protect\$4 or \$4secur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 11:07
S555	17	{application or object or software) with (factor\$4 or partition\$4) and (high\$1assurance) and (\$4protect\$4 or \$4secur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 11:08
S556	31	{application or object or software or process \$5) with (factor\$4 or partition\$4 or divid\$4 or break\$4) and (high\$1assurance) and (\$4protect\$4 or \$4secur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 11:10
S557	3	"20050044169"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 11:12
S558	2	10/626186	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 11:12

S559	3	"20040064718"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 11:13
S560	2	"20050091661"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 11:15
S561	3	"20040064718"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 11:15
S562	3	"20040064718"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 11:16
S563	2	"6490720".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 12:01

S564	19	{"4558176" "5625785" "5651068" "5825877" "5826080" "5841869" "5933640" "6038646" "6061449" "6112987" "6117185" "6126328" "6223287" "6282656" "6292569"}.PN. OR ("6490720").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/21 12:01
S565	1	10/693749 and (computer near4 medium)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/21 12:07
S566	1	10/693749 and (policy)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/21 13:26
S567	1	10/693749 and (storage medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 12:44
S568	33	application SAME (factoring OR partitioning) SAME trusted	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/05/03 15:03
S569	13	(trust\$2 OR untrust\$2) NEAR2 computer SAME secure SAME assurance	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/03 15:07
S570	0	10/693749 and (assurance near policy)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/03 18:57

S571	0	10/693749 and (assurance near policy)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/03 18:57
S572	1	10/693749 and (policy)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/03 18:57
S573	1	10/693749 and (assurance)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/03 18:58
S574	1	10/693749	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/03 19:20
S575	2	(US-20050091661-A1).did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 21:49
S576	1206	(@ad<= "20031024") AND (application near2 partition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 21:52

S577	0	((@ad<= "20031024") AND ((application near2 partition) with (\$secure near3 software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 21:53
S578	1	((@ad<= "20031024") AND ((application near2 partition) SAME (\$secure near3 software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 21:54
S579	2	((@ad<= "20031024") AND ((application near2 (partition or factor\$4)) SAME (\$secure near3 software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 21:56
S580	3	((@ad<= "20031024") AND ((application near5 (partition or factor\$4)) SAME (\$secure near3 software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 21:56
S581	264	((@ad<= "20031024") AND ((application near5 (partition or factor\$4)) SAME (trust or security)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 21:57

S582	5	{@ad<= "20031024") AND ((application near5 (partition or factor\$4)) SAME (trust or security)) AND (\$5secure near2 component)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 21:58
S583	95	{@ad<= "20031024") AND ((application near5 (partition or factor\$4)) with (trust or security))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 22:02
S584	1	{@ad<= "20031024") AND ((application near5 (partition\$4 or factor\$4)) with (\$5secure near2 component))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 22:32
S585	1	{@ad<= "20031024") AND (((application or software) near5 (partition\$4 or factor\$4)) with (\$5secure near2 component))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 22:32
S586	3	{@ad<= "20031024") AND (((application or software) near5 (partition\$4 or factor\$4)) with (\$5secure near2 component))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 22:33

S587	3	{@ad<= "20031024") AND (((application or software) near5 (partition\$4 or factor\$4)) SAME (\$\$secure near2 component))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 22:34
S588	72	{@ad<= "20031024") AND (((application or software) SAME (partition\$4 or factor\$4)) SAME (\$\$secure near2 component))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 22:34
S589	0	{@ad<= "20031024") AND (((application or software) SAME (partition\$4 or factor\$4)) SAME (\$\$secure near2 component)) AND 713/180.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 22:35
S591	13379	{713/310,189-194,176-177,180).ccls. OR (726/9,20,22).ccls. OR (717/107,108,120).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 22:51
S592	9	(non-secure NEAR2 partition) SAME (secure NEAR partition)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/03 23:02
S593	79	(partitioning or factoring) SAME (trust OR non-trust)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/03 23:05

S594	18	{@ad<= "20031024") AND ((partitioning or factoring) SAME (trust OR non-trust))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/03 23:06
S595	8	{@ad<= "20031024") AND (nexus AND VMM)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/03 23:09
S596	122	{@ad<= "20031024") AND ((application near5 (partition\$4 or factor\$4))) AND (\$secure near software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 23:19
S598	11	{@ad<= "20031024") AND ((application near5 (partition\$4 or factor\$4))) AND (\$secure near software) AND S591	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 23:20
S599	73	{@ad<= "20031024") AND (tamper\$3 SAME context SAME (seal or signature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 12:14
S600	103	{@ad<= "20031024") AND (tamper\$3 SAME context SAME (seal or signature or sign\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 12:22

S601	30	S600 not S599	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 12:22
S602	73	{@ad<="20031024") and (tamper\$3 same context same (seal signature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 15:43
S603	192	{@ad<="20031024") and (tamper\$3 same (execution or context) same (seal signature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 15:44
S604	4	{@ad<="20031024") and (tamper\$3 same (execution near4 context) same (seal signature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 15:44
S605	102	{@ad<="20031024") and (tamper\$3 same (context) same (seal signature or sign\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 15:46

S606	29	\$605 not \$602	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 15:47
S607	4	(@ad<="20031024") and (tamper\$3 same (execution near4 context) same (seal signature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 19:07
S608	1539	(717/127,134,143).cols.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 19:09
S609	0	(@ad<="20031024") and (tamper\$3 same (execution near4 context) same (plurality near2 OS))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 19:09
S610	0	(@ad<="20031024") and (tamper\$3 same (execution near4 context) same (plurality near2 (operating near system)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 19:10

S611	0	{@ad<="20031024") and (tamper\$3 same (context) same (plurality near2 (operating near system)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 19:10
S612	620	{@ad<="20031024") and (execut\$4 same (plurality near2 (operating near system)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 19:10
S613	8	S608 and S612	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 19:11
S616	4	{@ad<="20031024") and (secure adj3 partition) AND hypervisor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 19:14
S617	21	("20020010811" "4340933" "4843541" "5590278" "5659756" "6381682" "6836855").PN. OR ("7080291").JRP.N.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/05 19:15
S618	1318	{@ad<="20031024") and ((normal or \$2trust \$) SAME (trust\$2 secur\$2) SAME (hypervisor or VMM or monitor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 19:30

S619	14562	(713/310,189-194,176-177).ccls. OR (717/107,108,120,127,134,143).ccls. OR (726/9,20,22).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 19:32
S620	147	S618 and S619	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 19:33
S621	1	10/693749	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 19:46
S622	74	{@ad<="20031024") and (tamper\$3 same (context) same (seal signature wrapper))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:48
S623	32	{@ad<="20031024") and (tamper\$3 same (context) same (seal signature wrapper)) AND virtual	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 23:01

S624	1	{@ad<="20031024") and (tamper\$3 same (context) same (seal signature wrapper)) AND VMM	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 23:04
S625	0	{@ad<="20031024") and (tamper\$3 same (context) same (seal signature wrapper)) AND hypervisor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 23:04
S626	1	{@ad<="20031024") and (tamper\$3 same (environment) same (seal signature wrapper)) AND hypervisor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 23:07
S627	277	{@ad<="20031024") and (tamper\$3 same (environment) same (seal signature wrapper))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 23:07
S628	277	{@ad<="20031024") and (tamper\$3 same (environment) same (seal signature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 23:07

S629	13	{@ad<="20031024") and (tamper\$3 same (environment) same (seal signature)) and VMM	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 23:07
S632	2	{@ad<="20031024") and (NGSCB and seal and nexus and monitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 05:59
S633	0	("2005/0033980").URPN.	USPAT	OR	ON	2009/05/06 05:59
S634	2	{@ad<="20031024") and (NGSCB and (wrapper or seal) and nexus and monitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 06:01
S635	2	{@ad<="20031024") and (NGSCB and (wrapper or seal) and nexus and (monitor VMM))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 06:01
S636	2	{@ad<="20031024") and (NGSCB and (wrapper or seal) and (nexus or trusted) and (monitor VMM))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 06:01

S638	2	{@ad<="20031024") and (NGSCB and wrapper or seal) and nexus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 06:02
S639	2	{@ad<="20031024") and (NGSCB and wrapper or seal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 06:02
S640	2	{@ad<="20031024") and (NGSCB and wrapper or seal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 06:02
S643	63	{@ad<="20031024") and (virtual adj machine SAME (wrapper or seal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 06:03
S644	1	10/693749 and (medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:08

S645	9486	((@ad <"20031024") and (application near2 factor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:34
S646	32	((@ad <"20031024") and (application near2 factor\$4) and (trusted near2 computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:34
S647	11567	((@ad <"20031024") and (application near2 (factor\$4 or partition\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:36
S648	690	((@ad <"20031024") and (application near2 (factor\$4 or partition\$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:37
S649	4	((@ad <"20031024") and (application near2 (factor\$4 or partition\$4))) and 713/180.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 12:51

S650	1	10/693749 and (hosting near2 logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 15:44
------	---	-------------------------------------	---	----	----	---------------------

2/ 3/ 2010 12:06:08 PM

H:__A-cle2\AAREAL_CASE\ 10-693-749-HighAssurance\ 10693749-HighAssuranceFeatureThroughFactoring-new-05-05-09.wsp